



QUANZHOU VILIKE MACHINERY INDUSTRY & TRADE CO., LTD



Contact Us

-  +86 13959922923
-  yixiangh Huang@vilike.om.cn
yixiangh Huang@vilikemachinery.com
-  Vilikemachinery.com

**SPECIALIZED IN THE
MANUFACTURING OF
CIRCULAR KNITTING
MACHINES**






欧版单面平纹机

SINGLE JERSERY MACHINE (EURO)

欧版
Europe Version



型号 (MODEL)	筒径 (DIAMETER)	针数 (GAUGE)	路数 (FEEDER)	适应原料 (MATERIAL)
SVK-VKB3.0C	13Inch-50Inch	10G-40G	39F-150F	棉、涤纶、尼龙、羊毛、TC、晴纶、莫代尔、粘胶等纤维。 (Cotton, Polyester, Nylon, Wool, TC, Acrylic, Modal, Rayon, Etc.)
SVK-VKB3.2C	13Inch-50Inch	10G-40G	42F-160F	
SVK-VKB4.0C	13Inch-50Inch	10G-28G	52F-200F	

泉州威力克机械工贸有限公司
QUANZHOU VILIKE MACHINERY INDUSTRY & TRADE CO., LTD.




ADD: NO. 262 LuoBin North Road Industry Park HeShi Town
LuoJiang District Quanzhou City Fujian Province China.
TEL: 0595-22856325
FAX: 0595-22858325
MOBILE: +86 13959922923/18359856951
http: // www.Vilike.com.cn
E-mail: yixianghuang@Vilike.com.cn/info@Vilike.com.cn



欧版单面平纹机

SINGLE JERSERY MACHINE (EURO)



产品介绍 (PRODUCTS INTRODUCTION) :

- 1、经典欧版航空及铝合金纺织机头设计；
Classical European design on knitting head which material by aircraft aluminum alloy.
- 2、三角材料采用瑞典进口钢材、合金钢针筒，特制的吹气、喷油系统；
Sweden cam material, alloy steel cylinder, special air and oil lubrication system.
- 3、机器配置陶瓷纱嘴于整体喂纱圈；
Machine equiped ceramic yarn guide on whole yarn guide ring of machine.
- 4、机器配备整体中央升降系统于鞍座底圈；
Machine equiped center Regulation system on cambox Ring.
- 5、上盘菱角组件采用铝座反盖式三角设计，便于飞花清理，散热性好。
Use the flat sinker cam system on aluminum seat, easy to clean the dust of yarn, and good heat dissipation.
- 6、机器电路采用欧洲CE标准认证施工；
Electrical kits of machine all according CE certification of Europe.



欧版单面平纹机

SINGLE JERSERY MACHINE (EURO)

欧版
Europe Version



泉州威力克机械工贸有限公司
QUANZHOU VILIKE MACHINERY INDUSTRY & TRADE CO., LTD.




ADD: NO. 262 LuoBin North Road Industry Park HeShi Town
LuoJiang District Quanzhou City Fujian Province China.
TEL: 0595-22856325
FAX: 0595-22858325
MOBILE: +86 13959922923/18359856951
http: // www.Vilike.com.cn
E-mail: yixianghuang@Vilike.com.cn/info@Vilike.com.cn



欧版单面平纹机

SINGLE JERSERY MACHINE (EURO)



泉州威力克机械工贸有限公司
QUANZHOU VILIKE MACHINERY INDUSTRY & TRADE CO., LTD.




ADD: NO. 262 LuoBin North Road Industry Park HeShi Town
LuoJiang District Quanzhou City Fujian Province China.
TEL: 0595-22856325
FAX: 0595-22858325
MOBILE: 13959922923 18359856951
http: // www.Vilike.com.cn
E-mail: yixianghuang@Vilike.com.cn/info@Vilike.com.cn



欧版单面平纹机

SINGLE JERSERY MACHINE (EURO)



型号 (MODEL)	筒径 (DIAMETER)	针数 (GAUGE)	路数 (FEEDER)	适应原料 (MATERIAL)
SVK-VKB3.0CK	13Inch-50Inch	10G-40G	39F-150F	棉、涤纶、尼龙、羊毛、TC、晴纶、莫代尔、粘胶等纤维。 (Cotton, Polyester, Nylon, Wool, TC, Acrylic, Modal, Rayon, Etc.)
SVK-VKB3.2CK	13Inch-50Inch	10G-40G	42F-160F	
SVK-VKB4.0CK	13Inch-50Inch	10G-28G	52F-200F	

泉州威力克机械工贸有限公司
QUANZHOU VILIKE MACHINERY INDUSTRY & TRADE CO., LTD.




ADD: NO.262 LuoBin North Road Industry Park HeShi Town
LuoJiang District Quanzhou City Fujian Province China.
TEL: 0595-22856325
FAX: 0595-22858325
MOBILE: +86 13959922923/18359856951
http: // www.Vilike.com.cn
E-mail: yixianghuang@Vilike.com.cn/info@Vilike.com.cn



欧版单面平纹机

SINGLE JERSERY MACHINE (EURO)



产品介绍 (PRODUCTS INTRODUCTION) :

1、经典欧版航空及铝合金纺织机头设计;

Classical European design on knitting head which material by aircraft aluminum alloy.

2、三角材料采用瑞典进口钢材、合金钢针筒，特制的吹气、喷油系统;

Sweden cam material、alloy steel cylinder、special air and oil lubrication system.

3、机器配置陶瓷纱嘴于整体喂纱圈;

Machine equiped ceramic yarn guide on whole yarn guide ring of machine.

4、机器配备整体中央升降系统于鞍座底圈;

Machine equiped center Regulation system on cambox Ring.

5、上盘菱角组件采用调节式铝座反盖式三角设计，便于上盘三角的调节和飞花清理，散热性好。

Use the flat sinker cam with regulation system on alumiual seat,easy to make adjustment of sinker cam and clean the dust of yarn,and good heat dissipation.

6、机器电路采用欧洲CE标准认证施工;


Electrical kits of machine all according CE certification of Europe.



欧版单面三线卫衣机

SINGLE JERSERY 3YARN-END FLEECE MACHINE(EURO)

欧版
Europe Version



新型调节机构让调机更加轻松
New Regulation Design Of
Sinker Cam Adjustment Let
Fabric Testing More Easy

型号 (MODEL)	筒径 (DIAMETER)	针数 (GAUGE)	路数 (FEEDER)	适应原料 (MATERIAL)
SVK-VKBF3.0CK	26Inch-40Inch	10G-28G	78F-120F	棉、涤纶、尼龙、羊毛、TC、晴纶、莫代尔、粘胶等纤维。 (Cotton, Polyester, Nylon, Wool, TC, Acrylic, Modal, Rayon, Etc.)
SVK-VKBF3.2CK	26Inch-40Inch	10G-28G	84F-128F	

泉州威力克机械工贸有限公司
QUANZHOU VILIKE MACHINERY INDUSTRY & TRADE CO., LTD.




ADD: NO.262 LuoBin North Road Industry Park HeShi Town
LuoJiang District Quanzhou City Fujian Province China.
TEL: 0595-22856325
FAX: 0595-22858325
MOBILE: +86 13959922923/18359856951
http: // www.Vilike.com.cn
E-mail: yixianghuang@Vilike.com.cn/info@Vilike.com.cn



欧版单面三线卫衣机

SINGLE JERSERY 3YARN-END FLEECE MACHINE(EURO)




产品介绍 (PRODUCTS INTRODUCTION) :

- 1、经典欧版航空及铝合金纺织机头设计,散热性好;
Classical European design on knitting head which material by aircraft aluminum aolly, Good heat dissipation.
- 2、三角材料采用瑞典进口钢材、合金钢针筒,特制的吹气、喷油系统;
Sweden cam material, alloy steel cylinder, special air and oil lubrication system.
- 3、机器配置陶瓷纱嘴于整体喂纱圈;
Machine equipped ceramic yarn guide on whole yarn guide ring of machine.
- 4、机器配备整体中央升降系统于鞍座底圈;
Machine equipped center Regulation system on cambox Ring.
- 5、上盘菱角组件采用调节式铝座反盖式三角设计,便于上盘三角的调节和飞花清理,散热性好。
Use the flat sinker cam with regulation system on alumuiual seat,easy to make adjustment of sinker cam and clean the dust of yarn,and good heat dissipation.
- 6、编织机头运用了通用化快换设计,普通单面平纹、卫衣、毛巾只需要更换部分配件,即可实现“一机三用”的互换性;
Quickly exchange design on knitting head, Just need to change few parts machine canbe quickly being to Single jersery, fleece, terry machine.
- 7、特殊的沉降片片鼻和三角设计保证棉纱可以良好的覆盖中间的涤纶丝;
Speical design on Sinker Nozzel and Cams, make sure the cotton can Cover the middle polyster yarn perfect on 3yarn-end Fleece Machines.
- 8、全系机型增加上盘菱角调节系统,让调机更加轻松;
New Regulation Design Of Sinker Cam Adjustment On Type Machine Let Fabric Testing More Easy
- 9、机器电路采用欧洲CE标准认证施工;
Electrical kits of machine all according CE certification of Europe.



欧版单面反包毛圈机

SINGLE JERSERY TERRY MACHINE (EURO)



上盘带调节的反盖式三角设计
Flat sinker cam with regulation system

型号 (MODEL)	筒径 (DIAMETER)	针数 (GAUGE)	路数 (FEEDER)	适应原料 (MATERIAL)
SVK-VKBT1.2CK	15Inch-40Inch	6G-26G	18F-48F	棉、涤纶、尼龙、羊毛、TC、晴纶、莫代尔、粘胶等纤维。 (Cotton, Polyester, Nylon, Wool, TC, Acrylic, Modal, Rayon, Etc.)
SVK-VKBT1.4CK	15Inch-40Inch	6G-26G	21F-56F	
SVK-VKBT1.6CK	15Inch-40Inch	6G-26G	24F-60F	

泉州威力克机械工贸有限公司
QUANZHOU VILIKE MACHINERY INDUSTRY & TRADE CO., LTD.



ADD: NO.262 LuoBin North Road Industry Park HeShi Town
LuoJiang District Quanzhou City Fujian Province China.
TEL: 0595-22856325
FAX: 0595-22858325
MOBILE: +86 13959922923/18359856951
http: // www.Vilike.com.cn
E-mail: yixianghuang@Vilike.com.cn/info@Vilike.com.cn



欧版单面反包毛圈机

SINGLE JERSERY TERRY MACHINE (EURO)




产品介绍 (PRODUCTS INTRODUCTION) :

- 1、经典欧版航空及铝合金纺织机头设计；
Classical European design on knitting head which material by aircraft aluminum alloy.
- 2、三角材料采用瑞典进口钢材、合金钢针筒，特制的吹气、喷油系统；
Sweden cam material、alloy steel cylinder、special air and oil lubrication system.
- 3、机器配置陶瓷纱嘴于整体喂纱圈；
Machine equiped ceramic yarn guide on whole yarn guide ring of machine.
- 4、机器配备整体中央升降系统于鞍座底圈；
Machine equiped center Regulation system on cambox Ring.
- 5、上盘菱角组件采用调节式铝座反盖式三角设计，便于上盘三角的调节和飞花清理，散热性好。
Use the flat sinker cam with regulation system on alumium seat,easy to make adjustment of sinker cam and clean the dust of yarn,and good heat dissipation.
- 6、编织机头运用了通用化快换设计，普通单面平纹、卫衣、毛巾只需要更换部分配件，即可实现“一机三用”的互换性；
Quickly exchange design on knitting head, Just need to change few parts machine canbe quickly being to Single jersery、fleece、terry machine.
- 7、机器电路采用欧洲CE标准认证施工；
Electrical kits of machine all according CE certification of Europe.



欧版双面棉毛机 DOUBLE JERSEY INTERLOCK MACHINE (EURO)

欧版
Europe Version



型号 (MODEL)	筒径 (DIAMETER)	针数 (GAUGE)	路数 (FEEDER)	适应原料 (MATERIAL)
DVK-GBI2.0E	26Inch-44Inch	20G-40G	52F-88F	棉、涤纶、尼龙、羊毛、TC、晴纶、莫代尔、粘胶等纤维。 (Cotton, Polyester, Nylon, Wool, TC, Acrylic, Modal, Rayon, Etc.)
DVK-GBI2.2E	26Inch-44Inch	20G-40G	58F-97F	
DVK-GBI2.8E	26Inch-44Inch	20G-40G	73F-124F	
DVK-GBI3.2E	26Inch-44Inch	20G-40G	84F-141F	
DVK-GBI3.6E	26Inch-44Inch	20G-40G	94F-159F	


泉州威力克机械工贸有限公司
QUANZHOU VILIKE MACHINERY INDUSTRY & TRADE CO., LTD.



ADD: NO.262 LuoBin North Road Industry Park HeShi Town
LuoJiang District Quanzhou City Fujian Province China.
TEL: 0595-22856325
FAX: 0595-22858325
MOBILE: +86 13959922923/18359856951
http: // www.Vilike.com.cn
E-mail: yixianghuang@Vilike.com.cn/info@Vilike.com.cn



欧版双面棉毛机 DOUBLE JERSEY INTERLOCK MACHINE (EURO)



产品介绍 (PRODUCTS INTRODUCTION) :


- 1、经典欧洲版航空级铝合金编织机头设计;
Classical European design on knitting head which material by aircraft aluminum alloy.
- 2、机器整体喂纱圈设计并安装陶瓷纱嘴;
Ceramic yarn guides are installed on whole yarn guide ring of machine
- 3、可调式的鞍座底圈设计;
Adjustable cambox ring design on knitting head.
- 4、一路一个调节刻度器于上下鞍座, 平针固定于上下鞍座, 不可调;
One regulation stitch control on each feeder on cylinder and dial cambox, Miss cam be located on cylinder and dial cambox, no moveable.
- 5、优良的三角设计, 能够通过更换部分三角编织专业的棉毛组织;
Perfect cam design makesure machine can knit professional interlock fabric after change cylinder cam.
- 6、整机配备电子探针及优良的上下吹气、除尘装置, 良好的人性化操作;
Machine equiped electronic needle detector, professional air blowing and dust clean unit, perfect humanized operation.
- 7、机器电路采用欧洲CE标准认证施工;
Electrical kits of machine all according CE certification of Europe.



欧版双面罗纹机

DOUBLE RIB MACHINE (EURO)

欧版
Europe Version



型号 (MODEL)	筒径 (DIAMETER)	针数 (GAUGE)	路数 (FEEDER)	适应原料 (MATERIAL)
DVK-GBR1.6E/ER	26Inch-42Inch	10G-32G	42F-68F	棉、涤纶、尼龙、羊毛、TC、晴纶、莫代尔、粘胶等纤维。 (Cotton, Polyester, Nylon, Wool, TC, Acrylic, Modal, Rayon, Etc.)
DVK-GBR1.8E/ER	26Inch-42Inch	10G-32G	46F-76F	
DVK-GBR2.0E/ER	26Inch-42Inch	10G-32G	52F-84F	

泉州威力克机械工贸有限公司
QUANZHOU VILIKE MACHINERY INDUSTRY & TRADE CO., LTD.




ADD: NO.262 LuoBin North Road Industry Park HeShi Town
LuoJiang District Quanzhou City Fujian Province China.
TEL: 0595-22856325
FAX: 0595-22858325
MOBILE: +86 13959922923/18359856951
http: // www.Vilike.com.cn
E-mail: yixianghuang@Vilike.com.cn/info@Vilike.com.cn



欧版双面罗纹机

DOUBLE RIB MACHINE (EURO)



产品介绍 (PRODUCTS INTRODUCTION) :


- 1、经典欧洲版航空级铝合金编织机头设计;
Classical European design on knitting head which material by aircraft aluminum alloy.
- 2、机器整体喂纱圈设计并安装陶瓷纱嘴;
Ceramic yarn guides are installed on whole yarn guide ring of machine
- 3、可调式的鞍座底圈设计;
Adjustable cambox ring design on knitting head.
- 4、一路一个调节刻度器于上下鞍座, 平针固定于上下鞍座, 不可调;
One regulation stitch control on each feeder on cylinder and dial cambox, Miss cam be located on cylinder and dial cambox, no moveable.
- 5、优良的三角设计, 能够通过更换部分三角编织专业的棉毛组织;
Perfect cam design makesure machine can knit professional interlock fabric after change cylinder cam.
- 6、整机配备电子探针及优良的上下吹气、除尘装置, 良好的人性化操作;
Machine equiped electronic needle detector, professional air blowing and dust clean unit, perfect humanized operation.
- 7、机器电路采用欧洲CE标准认证施工;
Electrical kits of machine all according CE certification of Europe.



欧版双面棉毛罗纹机

DOUBLE INTERLOCK & RIB MACHINE (EURO)

欧版
Europe Version



型号 (MODEL)	筒径 (DIAMETER)	针数 (GAUGE)	路数 (FEEDER)	适应原料 (MATERIAL)
DVK-GBR1.6E	26Inch-44Inch	10G-28G	42F-70F	棉、涤纶、尼龙、羊毛、TC、晴纶、莫代尔、粘胶等纤维。 (Cotton, Polyester, Nylon, Wool, TC, Acrylic, Modal, Rayon, Etc.)
DVK-GBR1.8E	26Inch-44Inch	10G-28G	46F-80F	
DVK-GBR2.0E	26Inch-44Inch	10G-28G	52F-88F	
DVK-GBR2.2E	26Inch-44Inch	10G-28G	58F-96F	

泉州威力克机械工贸有限公司
QUANZHOU VILIKE MACHINERY INDUSTRY & TRADE CO., LTD.




ADD: NO.262 LuoBin North Road Industry Park HeShi Town
LuoJiang District Quanzhou City Fujian Province China.
TEL: 0595-22856325
FAX: 0595-22858325
MOBILE: +86 13959922923/18359856951
http: // www.Vilike.com.cn
E-mail: yixianghuang@Vilike.com.cn/info@Vilike.com.cn



欧版双面棉毛罗纹机

DOUBLE INTERLOCK & RIB MACHINE (EURO)



产品介绍 (PRODUCTS INTRODUCTION) :

- 1、经典欧洲版航空级铝合金编织机头设计;
Classical European design on knitting head which material by aircraft aluminum alloy.
- 2、机器整体喂纱圈设计并安装陶瓷纱嘴;
Ceramic yarn guides are installed on whole yarn guide ring of machine
- 3、可调式的鞍座底圈设计;
Adjustable cambox ring design on knitting head.
- 4、一路一个调节刻度器于上下鞍座, 平针固定于上下鞍座, 不可调;
One regulation stitch control on each feeder on cylinder and dial cambox, Miss cam be located on cylinder and dial cambox, no moveable.
- 5、优良的三角设计, 能够通过更换部分三角编织专业的罗纹及棉毛组织;
Perfect cam design makesure machine can knit professional rib and interlock fabric after change cylinder cam.
- 6、整机配备电子探针及优良的上下吹气、除尘装置, 良好的人性化操作;
Machine equiped electronic needle detector, professional air blowing and dust clean unit, perfect humanized operation.
- 7、机器电路采用欧洲CE标准认证施工;
Electrical kits of machine all according CE certification of Europe.




Vilike Machine

欧亚终极版双面棉毛罗纹机

DOUBLE INTERLOCK & RIB JERSEY MACHINE(Euro & Asia Ultimate Version)

欧亚终极版
Euro & Asia Ultimate Version



型号 (MODEL)	筒径 (DIAMETER)	针数 (GAUGE)	路数 (FEEDER)	适应原料 (MATERIAL)
DVK-GBI/GBR2.0ES	26Inch-44Inch	20G-40G	52F-88F	棉、涤纶、尼龙、羊毛、TC、晴纶、莫代尔、粘胶等纤维。
DVK-GBI/GBR2.2ES	26Inch-44Inch	20G-40G	58F-97F	(Cotton, Polyester, Nylon, Wool, TC, Acrylic, Modal, Rayon, Etc.)

泉州威力克机械工贸有限公司
QUANZHOU VILIKE MACHINERY INDUSTRY & TRADE CO., LTD.




ADD: NO.262 LuoBin North Road Industry Park HeShi Town
LuoJiang District Quanzhou City Fujian Province China.
TEL: 0595-22856325
FAX: 0595-22858325
MOBILE: +86 13959922923/18359856951
http: // www.Vilike.com.cn
E-mail: yixianghuang@Vilike.com.cn/info@Vilike.com.cn



Vilike Machine

欧亚终极版双面棉毛罗纹机

DOUBLE INTERLOCK & RIB JERSEY MACHINE(Euro & Asia Ultimate Version)



产品介绍 (PRODUCTS INTRODUCTION) :

- 1、经典欧洲版航空铝合金编织机头设计;
Classical European design on knitting head which material by aircraft aluminum alloy.
- 2、机器整体喂纱圈设计并安装陶瓷纱嘴, 特殊的结构设计, 满足亚洲版机型客户对每路纱嘴的单独调整的需求;
Ceramic yarn guides are installed on whole yarn guide ring of machine, special Structure design mating with requirements of move the yarn guide independently whom the customer use Asia version machine.
- 3、可调式的鞍座底圈设计;
Adjustable cambox ring design on knitting head.
- 4、每路上二下四刻度器于上下鞍座, 出针、半针固定于右侧滑块, 平针固定于左侧滑块, 在编织罗纹和棉毛时, 可一个刻度器同时控制两路 (同于欧洲版机型), 做夹层保暖等其他组织布时, 可以通过左右刻度器精准调节每段的出针, 半针和平针 (同于亚洲版机型);
Dial two & Cylinder Four regulation stitch control on each feeder of cylinder and dial cambox, knit & tuck cam be located on right side railkey of cambox, miss cam be located on left side railkey of cambox, technician can use one stitch control to move two trucks cams together when machine knit rib & interlock (Euro Version), technician can use stitch control of two side to adjust knit, tuck & miss cam independently when machine knit Spacer and others structure fabric (Asia Version).
- 5、优良的三角设计, 能够通过更换部分三角编织专业的棉毛、罗纹、夹层保暖等组织布;
Perfect cam design makesure machine can knit professional interlock, rib, spacer and others structure fabric after change cylinder cam.
- 6、整机配备电子探针及优良的上下吹气、除尘装置, 良好的人性化操作;
Machine equipped electronic needle detector, professional air blowing and dust clean unit, perfect humanized operation.
- 7、机器电路采用欧洲CE标准认证施工;
Electrical kits of machine all according CE certification of Europe.
- 8、此机型设计是结合亚洲和欧洲版的终极版本, 针对国内外市场推出的终极版本, 具有编织单一组织 (棉毛、罗纹) 时, 操作简单、快速、精准的优点 (等同亚洲版) 并可单独调整各段压针, 也可调整每路夹层保暖及其它组织布, 适用于灵活多变的国内市场。

This design is be combined with advantages of Asia and Euro Version Design, it is the ultimate version of machine which we focus on domestic and export market of china, it has advantages of simple, speedy and high precision of operation when machine knitting single structure fabric (interlock & rib), its advantages of Euro Design, and machine can be adjusted each truck cams by different stitch control, and move the yarn guide independently on each feeder, it is advantages of Asia Design when machine knitting the spacer and others structure fabric, this type machine is mating with the flexible requirements of domestic market of china.



欧亚终极版双面棉毛罗纹机

DOUBLE INTERLOCK & RIB JERSEY MACHINE(Euro & Asia Ultimate Version)

欧亚终极版
Euro & Asia Ultimate Version



泉州威力克机械工贸有限公司
QUANZHOU VILIKE MACHINERY INDUSTRY & TRADE CO.,LTD.





ADD: NO.262 LuoBin North Road Industry Park HeShi Town
LuoJiang District Quanzhou City Fujian Province China.
TEL: 0595-22856325
FAX: 0595-22858325
MOBILE: +86 13959922923/18359856951
http: // www.Vilike.com.cn
E-mail: yixianghuang@Vilike.com.cn/info@Vilike.com.cn



欧亚终极版双面棉毛罗纹机

DOUBLE INTERLOCK & RIB JERSEY MACHINE(Euro & Asia Ultimate Version)



泉州威力克机械工贸有限公司
QUANZHOU VILIKE MACHINERY INDUSTRY & TRADE CO.,LTD.



ADD: NO.262 LuoBin North Road Industry Park HeShi Town
LuoJiang District Quanzhou City Fujian Province China.
TEL: 0595-22856325
FAX: 0595-22858325
MOBILE: 13959922923 18359856951
http: // www.Vilike.com.cn
E-mail: yixianghuang@Vilike.com.cn/info@Vilike.com.cn





亚洲日版专业双面棉毛机
PROFESSIONAL INTERLOCK DOUBLE JERSERY (ASIA. J. P.)



亚洲日版专业双面棉毛机
PROFESSIONAL INTERLOCK DOUBLE JERSERY (ASIA. J. P.)

亚洲日版
ASIA JP Version



产品介绍 (PRODUCTS INTRODUCTION) :

- 1、经典亚洲日版铸铁编织机头设计，一路一个调节刻度器；
Classical design of ASIA Japan on knittinghead which material by casting.
One regulation stitch control on each feeder.
- 2、机器整体喂纱圈安装陶瓷纱嘴；
Ceramic yarn guide are installed on whole yarn guide ring of machine.
- 3、可调式的鞍座底圈设计；
Adjustable cambox ring design on kintting head.
- 4、特别的高路数设计针对双面棉毛、Mocolody等汽车内饰用布市场；
Special high feeder design on knitting head are focus on market of interlock、mocolody and fabric of car inner.
- 5、机器电路采用欧洲CE标准认证施工；
Electrical kits of machine all according CE certification of Europe.

型号(MODEL)	筒径(DIAMETER)	针数(GAUGE)	路数(FEEDER)	适应原料(MATERIAL)
DVK-JPF3.0	20Inch-40Inch	20G-40G	60F-120F	棉、涤纶、尼龙、羊毛、TC、晴纶、莫代尔、粘胶等纤维。 (Cotton, Polyester, Nylon, Wool, TC, Acrylic, Modal, Rayon, Etc.)
DVK-JPF3.2	20Inch-40Inch	20G-40G	64F-128F	
DVK-JPF3.5	20Inch-40Inch	20G-40G	70F-140F	

泉州威力克机械工贸有限公司
QUANZHOU VILIKE MACHINERY INDUSTRY & TRADE CO., LTD.



ADD: NO.262 LuoBin North Road Industry Park HeShi Town
LuoJiang District Quanzhou City Fujian Province China.
TEL: 0595-22856325
FAX: 0595-22858325
MOBILE: +86 13959922923/18359856951
http: // www.Vilike.com.cn
E-mail: yixianghuang@Vilike.com.cn/info@Vilike.com.cn



亚洲日版双面棉毛罗纹机

DOUBLE INTERLOCK/RIB JERSERY(ASIA. J. P.)

亚洲日版
ASIA JP Version



型号(MODEL)	筒径(DIAMETER)	针数(GAUGE)	路数(FEEDER)	适应原料(MATERIAL)
DVK-JPF1.6	20Inch-40Inch	10G-40G	32F-64F	棉、涤纶、尼龙、羊毛、TC、晴纶、莫代尔、粘胶等纤维。 (Cotton、Polyester、Nylon、Wool、TC、Acrylic、Modal、Rayon、Etc.)
DVK-JPF2.0	20Inch-40Inch	10G-40G	40F-80F	
DVK-JPF2.8	20Inch-40Inch	18G-40G	56F-112F	

泉州威力克机械工贸有限公司
QUANZHOU VILIKE MACHINERY INDUSTRY & TRADE CO., LTD.




ADD: NO.262 LuoBin North Road Industry Park HeShi Town
LuoJiang District Quanzhou City Fujian Province China.
TEL: 0595-22856325
FAX: 0595-22858325
MOBILE: +86 13959922923/18359856951
http://www.Vilike.com.cn
E-mail: yixianghuang@Vilike.com.cn/info@Vilike.com.cn



亚洲日版双面棉毛罗纹机

DOUBLE INTERLOCK/RIB JERSERY(ASIA. J. P.)




产品介绍 (PRODUCTS INTRODUCTION) :

- 1、经典亚洲日版铸铁编织机头设计，一路一个调节刻度器；
Classical design of ASIA Japan on knittinghead which material by casting .
One regulation stitch control on each feeder.
- 2、陶瓷喂纱嘴组件安装于切盘上，可每路单独调整；
Ceramil Yarn Guide assembly be installed on dail cambox on each feeder .
It can be adjusted independent.
- 3、可调式的鞍座底圈设计；
Adjustable cambox ring design on kintting head.
- 4、特别的高路数设计针对双面棉毛、Mocolody等汽车内饰用布市场；
Special high feeder design on knitting head are focus on market of interlock、mocolody and fabric of car inner.
- 5、机器电路采用欧洲CE标准认证施工；
Electrical kits of machine all according CE certification of Europe.



亚洲版单面平纹开幅机 SINGLE JERSERY OPEN WIDTH MACHINE (ASIA)

亚洲版
ASIA Version



型号 (MODEL)	筒径 (DIAMETER)	针数 (GAUGE)	路数 (FEEDER)	适应原料 (MATERIAL)
SVK-VKOB2.4	26Inch-46Inch	10G-18G	62F-110F	棉、涤纶、尼龙、羊毛、TC、晴纶、莫代尔、粘胶等纤维。 (Cotton, Polyester, Nylon, Wool, TC, Acrylic, Modal, Rayon, Etc.)
SVK-VKOB3.0	26Inch-46Inch	18G-40G	78F-138F	
SVK-VKOB3.2	26Inch-46Inch	18G-40G	84F-148F	
SVK-VKOB4.0	26Inch-46Inch	18G-40G	104F-184F	


泉州威力克机械工贸有限公司
QUANZHOU VILIKE MACHINERY INDUSTRY & TRADE CO., LTD.



ADD: NO.262 LuoBin North Road Industry Park HeShi Town
LuoJiang District Quanzhou City Fujian Province China.
TEL: 0595-22856325
FAX: 0595-22858325
MOBILE: +86 13959922923/18359856951
http: // www.Vilike.com.cn
E-mail: yixianghuang@Vilike.com.cn/info@Vilike.com.cn



亚洲版单面平纹开幅机 SINGLE JERSERY OPEN WIDTH MACHINE (ASIA)



产品介绍 (PRODUCTS INTRODUCTION) :

- 1、经典亚洲版航空及铝合金纺织机头设计;
Classical ASIA design on knitting head which material by aircraft aluminum alloy.
- 2、三角材料采用瑞典进口钢材、合金钢针筒, 特制的吹气、喷油系统;
Sweden cam material, alloy steel cylinder, special air and oil lubrication system.
- 3、机器配置陶瓷纱嘴于整体喂纱圈;
Machine equiped ceramic yarn guide on whole yarn guide ring of machine.
- 4、机器配备整体中央升降系统于鞍座底圈;
Machine equiped center Regulation system on cambox Ring.
- 5、上盘菱角组件采用调节式铝座反盖式三角设计, 便于上盘三角的调节和飞花清理, 散热性好。
Use the flat sinker cam with regulation system on alumiual seat, easy to make adjustment of sinker cam and clean the dust of yarn, and good heat dissipation.
- 6、机器电路采用欧洲CE标准认证施工;
Electrical kits of machine all according CE certification of Europe.
- 7、加强型的钢板开幅机架和传动及开幅机, 保证机器高速、稳定运作;
Machine stabile running under high speed by strongest open width machine frame and take down system.




欧版单面平纹高脚开幅机 Vilike Machine SINGLE JERSERY OPEN WIDTH HIGH FRAME MACHINE (EURO)



欧版单面平纹高脚开幅机 Vilike Machine SINGLE JERSERY OPEN WIDTH HIGH FRAME MACHINE (EURO)

欧版
Europe Version




型号 (MODEL)	筒径 (DIAMETER)	针数 (GAUGE)	路数 (FEEDER)	适应原料 (MATERIAL)
SVK-VKHOP2.4C	26Inch-46Inch	18G-40G	62F-110F	棉、涤纶、尼龙、羊毛、TC、晴纶、莫代尔、粘胶等纤维。 (Cotton, Polyester, Nylon, Wool, TC, Acrylic, Modal, Rayon, Etc.)
SVK-VKHOP3.0C	26Inch-46Inch	18G-40G	78F-138F	
SVK-VKHOP3.2C	26Inch-46Inch	18G-40G	84F-148F	
SVK-VKHOP4.0C	26Inch-46Inch	18G-40G	104F-184F	

泉州威力克机械工贸有限公司
QUANZHOU VILIKE MACHINERY INDUSTRY & TRADE CO., LTD.



ADD: NO.262 LuoBin North Road Industry Park HeShi Town
LuoJiang District Quanzhou City Fujian Province China.
TEL: 0595-22856325
FAX: 0595-22858325
MOBILE: +86 13959922923/18359856951
http: // www.Vilike.com.cn
E-mail: yixianghuang@Vilike.com.cn/info@Vilike.com.cn




产品介绍 (PRODUCTS INTRODUCTION) :

- 1、经典欧洲版航空及铝合金纺织机头设计；
Classical Europe design on knitting head which material by aircraft aluminum alloy.
- 2、三角材料采用瑞典进口钢材、合金钢针筒，特制的吹气、喷油系统；
Sweden cam material、alloy steel cylinder、special air and oil lubrication system.
- 3、机器配置陶瓷纱嘴于整体喂纱圈；
Machine equiped ceramic yarn guide on whole yarn guide ring of machine.
- 4、机器配备整体中央升降系统于鞍座底圈；
Machine equiped center Regulation system on cambox Ring.
- 5、机器电路采用欧洲CE标准认证施工；
Electrical kits of machine all according CE certification of Europe.
- 6、加强型的钢板开幅机架和传动及开幅机，保证机器高速、稳定运作；
Machine stabile running under high speed by strongest open width machine frame and take down system.



欧版单面平纹开幅机 SINGLE JERSERY OPEN WIDTH MACHINE (EURO)

欧版
Europe Version



型号 (MODEL)	筒径 (DIAMETER)	针数 (GAUGE)	路数 (FEEDER)	适应原料 (MATERIAL)
SVK-VKOB2.4CK	26Inch-46Inch	10G-18G	62F-110F	棉、涤纶、尼龙、羊毛、TC、晴纶、莫代尔、粘胶等纤维。 (Cotton, Polyester, Nylon, Wool, TC, Acrylic, Modal, Rayon, Etc.)
SVK-VKOB3.0CK	26Inch-46Inch	18G-40G	78F-138F	
SVK-VKOB3.2CK	26Inch-46Inch	18G-40G	84F-148F	
SVK-VKOB4.0CK	26Inch-46Inch	18G-40G	104F-184F	


泉州威力克机械工贸有限公司
QUANZHOU VILIKE MACHINERY INDUSTRY & TRADE CO., LTD.



ADD: NO.262 LuoBin North Road Industry Park HeShi Town
LuoJiang District Quanzhou City Fujian Province China.
TEL: 0595-22856325
FAX: 0595-22858325
MOBILE: +86 13959922923/18359856951
http: // www.Vilike.com.cn
E-mail: yixianghuang@Vilike.com.cn/info@Vilike.com.cn



欧版单面平纹开幅机 SINGLE JERSERY OPEN WIDTH MACHINE (EURO)



产品介绍 (PRODUCTS INTRODUCTION) :

- 1、经典欧洲版航空及铝合金纺织机头设计；
Classical European design on knitting head which material by aircraft aluminum alloy.
- 2、三角材料采用瑞典进口钢材、合金钢针筒，特制的吹气、喷油系统；
Sweden cam material、alloy steel cylinder、special air and oil lubrication system.
- 3、机器配置陶瓷纱嘴于整体喂纱圈；
Machine equiped ceramic yarn guide on whole yarn guide ring of machine.
- 4、机器配备整体中央升降系统于鞍座底圈；
Machine equiped center Regulation system on cambox Ring.
- 5、上盘菱角组件采用调节式铝座反盖式三角设计，便于上盘三角的调节和飞花清理，散热性好。
Use the flat sinker cam with regulation system on alumium seat,easy to make adjustment of sinker cam and clean the dust of yarn,and good heat dissipation.
- 6、机器电路采用欧洲CE标准认证施工；
Electrical kits of machine all according CE certification of Europe.
- 7、加强型的钢板开幅机架和传动及开幅机，保证机器高速、稳定运作；
Machine stabile running under high speed by strongest open width machine frame and take down system.




Vilike Machine

欧版双面棉毛罗纹开幅机

DOUBLE JERSERY INTERLOCK & RIB OPEN WIDTH MACHINE(EURO)

欧版
Europe Version



可脚踏式亚洲版护网设计, 让操作更轻松
The Pedalable Side Door Of Asia Design
Can Sit On Machine To Operation More Easy

独立式手柄把机构调机更加轻松
Independently Handle Operation
Make Machine More Easy

双伺服电机驱动开幅式卷布机
Open width take down system
which driven by double
servo motors

型号 (MODEL)	筒径 (DIAMETER)	针数 (GAUGE)	路数 (FEEDER)	适应原料 (MATERIAL)
DVK-GBOP12.8E	26Inch-46Inch	18G-40G	72F-128F	棉、涤纶、尼龙、羊毛、TC、晴纶、莫代尔、粘胶等纤维。 (Cotton, Polyester, Nylon, Wool, TC, Acrylic, Modal, Rayon, Etc.)
DVK-GBOP13.2E	26Inch-46Inch	18G-40G	84F-148F	

泉州威力克机械工贸有限公司




ADD: NO. 262 LuoBin North Road Industry Park HeShi Town
LuoJiang District Quanzhou City Fujian Province China.
TEL: 0595-22856325
FAX: 0595-22858325
MOBILE: +86 13959922923/18359856951
http: // www.Vilike. com. cn
E-mail: yixianghuang@Vilike. com. cn/info@Vilike. com. cn



Vilike Machine

欧版双面棉毛罗纹开幅机

DOUBLE JERSERY INTERLOCK & RIB OPEN WIDTH MACHINE(EURO)



产品介绍 (PRODUCTS INTRODUCTION) :

- 1、经典欧洲版航空及铝合金纺织机头设计；
Classical Europe design on knitting head which material by aircraft aluminum alloy.
- 2、三角材料采用瑞典进口钢材、合金钢针筒，特制的吹气、喷油系统；
Sweden cam material, alloy steel cylinder, special air and oil lubrication system.
- 3、机器配置陶瓷纱嘴于整体喂纱圈，特别增加夹层布专用纱嘴；
Machine equiped ceramic yarn guide on whole yarn guide ring of machine. Machine equipped the Ceramic yarn guide of spacer kits, It can make spacer fabric more easy and professional
- 4、可调式的鞍座底圈设计；
Adjustable cambox ring design on knitting head.
- 5、一路一个调节刻度于上下鞍座，平针固定于上下鞍座，不可调；
One regulation stitch control on each feeder on cylinder and dial cambox. Miss cam be located on cylinder and dial cambox, no moveable.
- 6、机器电路采用欧洲CE标准认证施工；
Electrical kits of machine all according CE certification of Europe.
- 7、加强型的钢板开幅机架和传动及开幅机，保证机器高速、稳定运作；
Machine stabile running under high speed by strongest open width machine frame and take down system.



Vilike Machine

欧版双面棉毛罗纹开幅机

DOUBLE JERSERY INTERLOCK & RIB OPEN WIDTH MACHINE(EURO)

欧版
Europe Version

欧版开幅机护网
Open Width Side
Door European Design

降低型欧版开幅机架,便于弯腰操作;
Open Width Side Door Of Low
Height Europe Design Easy To
Operate Machine By Bending Over


1410mm



Vilike Machine

欧版双面棉毛罗纹开幅机

DOUBLE JERSERY INTERLOCK & RIB OPEN WIDTH MACHINE(EURO)



产品介绍 (PRODUCTS INTRODUCTION) :

- 1、经典欧洲版航空及铝合金纺织机头设计;
Classical Europe design on knitting head which material by aircraft aluminum alloy.
- 2、三角材料采用瑞典进口钢材、合金钢针筒,特制的吹气、喷油系统;
Sweden cam material, alloy steel cylinder, special air and oil lubrication system.
- 3、机器配置陶瓷纱嘴于整体喂纱圈;
Machine equiped ceramic yarn guide on whole yarn guide ring of machine.
- 4、可调式的鞍座底圈设计;
Adjustable cambox ring design on knitting head.
- 5、一路一个调节刻度于上下鞍座,平针固定于上下鞍座,不可调;
One regulation stitch control on each feeder on cylinder and dial cambox. Miss cam be located on cylinder and dial cambox, no moveable.
- 6、机器电路采用欧洲CE标准认证施工;
Electrical kits of machine all according CE certification of Europe.
- 7、加强型钢板开幅机架和传动及开幅机,保证机器高速、稳定运作;
Machine stable running under high speed by strongest open width machine frame and take down system.

型号 (MODEL)	筒径 (DIAMETER)	针数 (GAUGE)	路数 (FEEDER)	适应原料 (MATERIAL)
DVK-GBOP2.0E	26Inch-46Inch	18G-40G	52F-92F	棉、涤纶、尼龙、羊毛、TC、晴纶、莫代尔、粘胶等纤维。 (Cotton, Polyester, Nylon, Wool, TC, Acrylic, Modal, Rayon, Etc.)
DVK-GBOP2.2E	26Inch-46Inch	18G-40G	58F-102F	
DVK-GBOP2.8E	26Inch-46Inch	18G-40G	72F-128F	

泉州威力克机械工贸有限公司
QUANZHOU VILIKE MACHINERY INDUSTRY & TRADE CO., LTD.




ADD: NO. 262 LuoBin North Road Industry Park HeShi Town
LuoJiang District Quanzhou City Fujian Province China.
TEL: 0595-22856325
FAX: 0595-22858325
MOBILE: +86 13959922923/18359856951
http: // www.Vilike.com.cn
E-mail: yixianghuang@Vilike.com.cn/info@Vilike.com.cn



亚洲版双面棉毛开幅机

DOUBLE JERSERY INTERLOCK OPEN WIDTH MACHINE (ASIA)



型号 (MODEL)	筒径 (DIAMETER)	针数 (GAUGE)	路数 (FEEDER)	适应原料 (MATERIAL)
DVK-GBOP2.0S	26Inch-46Inch	18G-40G	52F-92F	棉、涤纶、尼龙、羊毛、TC、晴纶、莫代尔、粘胶等纤维。 (Cotton, Polyester, Nylon, Wool, TC, Acrylic, Modal, Rayon, Etc.)
DVK-GBOP2.2S	26Inch-46Inch	18G-40G	58F-102F	
DVK-GBOP2.8S	26Inch-46Inch	18G-40G	72F-128F	

泉州威力克机械工贸有限公司
QUANZHOU VILIKE MACHINERY INDUSTRY & TRADE CO., LTD.




ADD: NO. 262 LuoBin North Road Industry Park HeShi Town
LuoJiang District Quanzhou City Fujian Province China.
TEL: 0595-22856325
FAX: 0595-22858325
MOBILE: +86 13959922923/18359856951
http: // www.Vilike.com.cn
E-mail: yixianghuang@Vilike.com.cn/info@Vilike.com.cn



亚洲版双面棉毛开幅机

DOUBLE JERSERY INTERLOCK OPEN WIDTH MACHINE (ASIA)



产品介绍 (PRODUCTS INTRODUCTION) :

- 经典亚洲版航空及铝合金纺织机头设计;
Classical ASIA design on knitting head which material by aircraft aluminum alloy.
- 三角材料采用瑞典进口钢材、合金钢针筒, 特制的吹气、喷油系统;
Sweden cam material, alloy steel cylinder, special air and oil lubrication system.
- 机器配备陶瓷纱嘴, 单独调整设计;
Machine full equipped ceramic yarn guide, Yarn Guides can be adjusted
- 可调式的鞍座底圈设计;
Adjustable cambox ring design on knitting head.
- 下盘一路4个刻度器, 上盘一路2个刻度器, 平针锁于滑块上, 可调节, 实现灵活转换;
Four stitches control on cylinder cambox. Two stitches control on dial cambox. Miss can be located on rail key of Cambox, moveable.
- 机器电路采用欧洲CE标准认证施工;
Electrical kits of machine all according CE certification of Europe.
- 加强式钢结构设计机架, 保证机器高速稳定运作; 配备气动高脚开幅机, 便携下落大卷的布坯, 操作更加人性化。
Machine stable running under high speed by strongest open width machine frame and take down system.




Vilike Machine

亚洲版双面高脚气动开幅机

DOUBLE INTERLOCK HIGH FRAME OPEN WIDTH MACHINE(ASIA)

亚洲版
ASIA Version



气动高脚开幅机自动落布
PNEUMATICS HIGH FRAME
OPEN WIDTH TAKE DOWN

型号 (MODEL)	筒径 (DIAMETER)	针数 (GAUGE)	路数 (FEEDER)	适应原料 (MATERIAL)
DVK-GBHOP2.0J	26Inch-46Inch	18G-40G	52F-92F	棉、涤纶、尼龙、羊毛、TC、晴纶、莫代尔、粘胶等纤维。 (Cotton, Polyester, Nylon, Wool, TC, Acrylic, Modal, Rayon, Etc.)
DVK-GBHOP2.2J	26Inch-46Inch	18G-40G	58F-102F	
DVK-GBHOP2.8J	26Inch-46Inch	18G-40G	72F-128F	

泉州威力克机械工贸有限公司
QUANZHOU VILIKE MACHINERY INDUSTRY & TRADE CO., LTD.



ADD: NO.262 LuoBin North Road Industry Park HeShi Town
LuoJiang District Quanzhou City Fujian Province China.
TEL: 0595-22856325
FAX: 0595-22858325
MOBILE: +86 13959922923/18359856951
http://www.Vilike.com.cn
E-mail: yixianghuang@Vilike.com.cn/info@Vilike.com.cn



Vilike Machine

亚洲版双面高脚气动开幅机

DOUBLE INTERLOCK HIGH FRAME OPEN WIDTH MACHINE(ASIA)



产品介绍 (PRODUCTS INTRODUCTION) :

- 经典亚洲版航空及铝合金纺织机头设计;
Classical ASIA design on knitting head which material by aircraft aluminum alloy.
- 三角材料采用瑞典进口钢材、合金钢针筒, 特制的吹气、喷油系统;
Sweden cam material, alloy steel cylinder, special air and oil lubrication system.
- 陶瓷喂纱嘴组件安装于切盘上, 可每路单独调整;
Ceramic yarn guides assembly be installed on dial cambox on each feeder. It can be adjusted independently.
- 可调式的鞍座底圈设计;
Adjustable cambox ring design on knitting head.
- 下盘一路4个刻度器, 上盘一路2个刻度器, 平针锁于滑块上, 可调节, 实现灵活转换;
Four stitches control on cylinder cambox. Two stitches control on dial cambox. Miss cam be located on rail key of Cambox, moveable.
- 机器电路采用欧洲CE标准认证施工;
Electrical kits of machine all according CE certification of Europe.
- 加强式钢结构设计机架, 保证机器高速稳定运作; 配备气动高脚开幅机, 携带下落大卷的布坯, 操作更加人性化。
Machine stable running under high speed by strongest open width machine frame and take down system.




Vilike Machine

欧版双面棉毛罗纹两用开幅机

DOUBLE JERSERY INTERLOCK & RIB OPEN WIDTH MACHINE(EURO)

欧版
Europe Version



可踩踏式亚洲版护网设计, 让操作更回轻松
The Pedalable Side Door Of Asia Design
Can Sit On Machine To Operation More Easy

1. 机械式开幅机
Mechanical Open Width Take Down
2. 双伺服开幅机均可选用
Electronical Take Down Which
Driven By Two Serro Motors

型号 (MODEL)	筒径 (DIAMETER)	针数 (GAUGE)	路数 (FEEDER)	适应原料 (MATERIAL)
DVK-GBOP2.0E	26Inch-46Inch	18G-40G	52F-92F	棉、涤纶、尼龙、羊毛、TC、晴纶、莫代尔、粘胶等纤维。 (Cotton, Polyester, Nylon, Wool, TC, Acrylic, Modal, Rayon, Etc.)
DVK-GBOP2.2E	26Inch-46Inch	18G-40G	58F-102F	

泉州威力克机械工贸有限公司

QUANZHOU VILIKE MACHINERY INDUSTRY & TRADE CO., LTD.




ADD: NO. 262 LuoBin North Road Industry Park HeShi Town
LuoJiang District Quanzhou City Fujian Province China.
TEL: 0595-22856325
FAX: 0595-22858325
MOBILE: 13959922923 18359856951
http: // www.Vilike. com. cn
E-mail: yixianghuang@Vilike. com. cn/info@Vilike. com. cn



Vilike Machine

欧版双面棉毛罗纹两用开幅机

DOUBLE JERSERY INTERLOCK & RIB OPEN WIDTH MACHINE(EURO)



产品介绍 (PRODUCTS INTRODUCTION) :


- 1、经典欧洲版航空及铝合金纺织机头设计；
Classical Europe design on knitting head which material by aircraft aluminum aolly.
- 2、三角材料采用瑞典进口钢材、合金钢针筒，特制的吹气、喷油系统；
Sweden cam material、alloy steel cylinder、special air and oil lubrication system.
- 3、机器配置陶瓷纱嘴于整体喂纱圈，特别增加夹层布专用纱嘴；
Machine equiped ceramic yarn guide on whole yarn guide ring of machine. Machine equipped the Ceramic yarn guide of spacer kits,It cam make spacer fabric more easy and professional
- 4、可调式的鞍座底圈设计；
Adjustable cambox ring design on kintting head.
- 5、一路一个调节刻度于上下鞍座，平针固定于上下鞍座，不可调；
One regulation stitch control on each feeder on cylinder and dail cambox. Miss cam be located on cylinder and dail cambox,no moveable.
- 6、机器电路采用欧洲CE标准认证施工；
Electrical kits of machine all according CE certification of Europe.
- 7、加强型的钢板开幅机架和传动及开幅机，保证机器高速、稳定运作；
Machine stabile running under high speed by strongest open width machine frame and take down system.



欧版单面电脑提花反包毛巾机

Vilike Machine Single Computer Terry Jacquard machine (EURO)

欧版
Europe Version



针筒申克圈两/三工位电脑提花
2 or 3way computer
jacquard on Sinker Ring

型号 (MODEL)	筒径 (DIAMETER)	针数 (GAUGE)	路数 (FEEDER)	适应原料 (MATERIAL)
SVK-VKBCT1.2CK	15Inch-40Inch	6G-26G	18F-48F	棉、涤纶、尼龙、羊毛、TC、 晴纶、莫代尔、粘胶等纤维。 (Cotton, Polyester, Nylon, Wool, TC, Acrylic, Modal, Rayon, Etc.)
SVK-VKBCT1.4CK	15Inch-40Inch	6G-26G	21F-56F	
SVK-VKBCT1.6CK	15Inch-40Inch	6G-26G	24F-60F	

泉州威力克机械工贸有限公司
QUANZHOU VILIKE MACHINERY INDUSTRY & TRADE CO., LTD.




ADD: NO.262 LuoBin North Road Industry Park HeShi Town
LuoJiang District Quanzhou City Fujian Province China.
TEL: 0595-22856325
FAX: 0595-22858325
MOBILE: +86 13959922923/18359856951
http: // www.Vilike.com.cn
E-mail: yixianghuang@Vilike.com.cn/info@Vilike.com.cn



欧版单面电脑提花反包毛巾机

Vilike Machine Single Computer Terry Jacquard machine (EURO)



产品介绍 (PRODUCTS INTRODUCTION) :

- 1、欧版航空级铝合金编织机头设计;
European design of knitting head which material by aircraft aluminum alloy.
- 2、针筒申克圈两/三工位电脑提花;
2 or 3way computer jacquard on Sinker Ring of cylinder.
- 3、机器整体喂纱圈安装陶瓷纱嘴;
Ceramic yarn guides are installed on whole yarn guide ring of machine.
- 4、机器上盘菱角座为整体式设计,上盘菱角靠定位销固定,保持高精度定位;
Sinker cap ring of machine be designed by whole ring, Sinker Cam be located by pins of sinker cap ring, It is keep sinker cams in high precision location.
- 5、机器电路均按照欧洲CE标准认证施工;
Electrical kits of machine all according CE certification of Europe.
- 6、机器配套两工位毛圈提花 (有圈和无圈) 或者三工位 (长圈, 短圈和无圈) 的配套置换设计;
Machine equipped 2Way Terry loop Jacquard (With Lopp and without Loop)
Or 3WayTerry Loop Jacquard (With long Loop , with short Loop and without Loop) , Exchange Kits be provided.




Vilike Machine

欧版单面电脑提花机

SINGLE JERSERY COMPUTER JACQUARD MACHINE(EURO)

欧版
Europe Version



针筒三工位电脑提花
3WAY COMPUTER
JACQUARD ON CYLINDER

型号(MODEL)	筒径(DIAMETER)	针数(GAUGE)	路数(FEEDER)	适应原料(MATERIAL)
SVK-GBCJ1.6E	15Inch-40Inch	9G-36G	24F-64F	棉、涤纶、尼龙、羊毛、TC、晴纶、莫代尔、粘胶等纤维。 (Cotton, Polyester, Nylon, Wool, TC, Acrylic, Modal, Rayon, Etc.)
SVK-GBCJ2.0E	15Inch-40Inch	14G-36G	30F-80F	
SVK-GBCJ2.4E	15Inch-40Inch	18G-36G	36F-96F	

泉州威力克机械工贸有限公司
QUANZHOU VILIKE MACHINERY INDUSTRY & TRADE CO., LTD.




ADD: NO. 262 LuoBin North Road Industry Park HeShi Town
LuoJiang District Quanzhou City Fujian Province China.
TEL: 0595-22856325
FAX: 0595-22858325
MOBILE: +86 13959922923/18359856951
http: // www.Vilike.com.cn
E-mail: yixianghuang@Vilike.com.cn/info@Vilike.com.cn



Vilike Machine

欧版单面电脑提花机

SINGLE JERSERY COMPUTER JACQUARD MACHINE(EURO)



产品介绍 (PRODUCTS INTRODUCTION) :


- 1、欧版航空级铝合金编织机头设计;
European design of knitting head which material by aircraft aluminum alloy.
- 2、针筒三工位电脑提花;
3way computer jacquard on cylinder.
- 3、机器整体喂纱圈安装陶瓷纱嘴;
Ceramic yarn guides are installed on whole yarn guide ring of machine.
- 4、机器上盘菱角座为整体式设计, 上盘菱角靠定位销固定, 保持高精度定位;
Sinkers cap ring of machine be designed by whole ring, Sinkers Cam be located by pins of sinkers cap ring, It is keep sinkers cams in high precision location.
- 5、机器电路均按照欧洲CE标准认证施工;
Electrical kits of machine all according CE certification of Europe.
- 6、机器配套网眼提花机头,(包涵网眼下盘三角, 网眼复位三角和网眼纱嘴) ;
Machine equipped full mesh kits on Knitting head , (including the Cylinder cams , Rest cams and Yarn guide of mesh kit)



亚洲单面高脚电脑提花鞋面机

SINGLE JERSERY COMPUTER JACQUARD SHOES MACHINE (ASIA)

亚洲版
ASIA Version



型号 (MODEL)	筒径 (DIAMETER)	针数 (GAUGE)	路数 (FEEDER)	适应原料 (MATERIAL)
SVK-SPCJ1.2CS	15Inch-40Inch	9G-20G	18F-48F	棉、涤纶、尼龙、羊毛、TC、晴纶、莫代尔、粘胶等纤维。 (Cotton, Polyester, Nylon, Wool, TC, Acrylic, Modal, Rayon, Etc.)
SVK-SPCJ1.6CS	15Inch-40Inch	9G-20G	24F-64F	

泉州威力克机械工贸有限公司
QUANZHOU VILIKE MACHINERY INDUSTRY & TRADE CO., LTD.




ADD: NO.262 LuoBin North Road Industry Park HeShi Town
LuoJiang District Quanzhou City Fujian Province China.
TEL: 0595-22856325
FAX: 0595-22858325
MOBILE: +86 13959922923/18359856951
http: // www.Vilike.com.cn
E-mail: yixianghuang@Vilike.com.cn/info@Vilike.com.cn



亚洲单面高脚电脑提花鞋面机

SINGLE JERSERY COMPUTER JACQUARD SHOES MACHINE (ASIA)



产品介绍 (PRODUCTS INTRODUCTION) :

- 1、亚洲版航空级铝合金编织机头设计;
ASIA design of kintting head which material by aircraft aluminum aolly.
- 2、针筒三位电脑提花;
3way computer jacquard on cylinder.
- 3、机器整体喂纱圈安装陶瓷或钢制纱嘴;
Ceramic yarn or metal guides are installed on whole yarn guide ring of machine.
- 4、机器上盘菱角座设计有可调式旋钮, 实现布面精准调试;
Regulation Stitch control be designed on each sinker cambox, It can make the sinker cam regulation in high precision when machine fabric testing.
- 5、机器配置上摆式高产量伺服卷布机;
Machine equipped high production of up folding servo motor take down.
- 6、机器电路均按照欧洲CE标准认证施工;
Electrical kits of machine all according CE certification of Europe.



Vilike Machine

亚欧双面电脑提花鞋面机 DOUBLE JERSERY COMPUTER JACQUARD SHOES MACHINE(EUROPE&ASIA)

亚欧版
Europe&Asia



型号 (MODEL)	筒径 (DIAMETER)	针数 (GAUGE)	路数 (FEEDER)	适应原料 (MATERIAL)
DVK-GBCJ1.2ES	26Inch-44Inch	7G-32G	32F-58F	棉、涤纶、尼龙、羊毛、TC、晴纶、莫代尔、粘胶等纤维。 (Cotton, Polyester, Nylon, Wool, TC, Acrylic, Modal, Rayon, Etc.)
DVK-GBCJ1.6ES	26Inch-44Inch	7G-32G	42F-71F	
DVK-GBCJ1.8ES	26Inch-44Inch	7G-32G	48F-80F	
DVK-GBCJ2.0ES	26Inch-44Inch	7G-32G	52F-88F	

泉州威力克机械工贸有限公司
QUANZHOU VILIKE MACHINERY INDUSTRY & TRADE CO., LTD.



ADD: NO.262 LuoBin North Road Industry Park HeShi Town
LuoJiang District Quanzhou City Fujian Province China.
TEL: 0595-22856325
FAX: 0595-22858325
MOBILE: +86 13959922923/18359856951
http: // www.Vilike.com.cn
E-mail: yixianghuang@Vilike.com.cn/info@Vilike.com.cn



Vilike Machine

亚欧双面电脑提花鞋面机 DOUBLE COMPUTER JACQUARD & RIB LOOP TRANSFER MACHINE(EURO)



产品介绍 (PRODUCTS INTRODUCTION) :

- 1、亚欧 (ES) 版航空级铝合金编织机头设计;
Europe&ASIA (ES) design of knitting head which material by aircraft aluminum alloy.
- 2、针筒三工位电脑提花;
3way computer jacquard on cylinder.
- 3、机器整体喂纱圈安装陶瓷或钢制纱嘴, 独特的专利设计可以单独左右调节每路的纱嘴的位置以满足一些布种的需求。
Ceramic yarn or metal guides are installed on whole yarn guide ring of machine, special design can make the yarn guide be moved left or right to satisfy the Knitting requirements of some fabric
- 4、机器上下盘三角座每路设计有两个可调式旋钮, 实现出针、半针和 平针的单独移动实现布面精准调试;
There two Regulation Stitch control be designed on each Dial&cambox, It can make the miss, knit and tuck cam be moved independently to reach regulation in high precision when machine fabric testing.
- 5、机器配置上摆式高产量伺服卷布机;
Machine equiped high production of up folding servo motor take down.
- 6、机器电路均按照欧洲CE标准认证施工;
Electrical kits of machine all according CE certification of Europe.




Vilike Machine

欧版双面上下电脑提花机

DOUBLE COMPUTER JACQUARD ON CYLINDER AND DAIL MACHINE(EURO)

欧版
Europe Version



型号 (MODEL)	筒径 (DIAMETER)	针数 (GAUGE)	路数 (FEEDER)	适应原料 (MATERIAL)
DVK-GBDCJ1.2	26Inch-40Inch	10G-24G	32F-48F	棉、涤纶、尼龙、羊毛、TC、晴纶、莫代尔、粘胶等纤维。 (Cotton, Polyester, Nylon, Wool, TC, Acrylic, Modal, Rayon, Etc.)
DVK-GBDCJ1.6	26Inch-40Inch	12G-24G	42F-64F	

泉州威力克机械工贸有限公司
QUANZHOU VILIKE MACHINERY INDUSTRY & TRADE CO., LTD.



ADD: NO.262 LuoBin North Road Industry Park HeShi Town
LuoJiang District Quanzhou City Fujian Province China.
TEL: 0595-22856325
FAX: 0595-22858325
MOBILE: +86 13959922923/18359856951
http: // www.Vilike.com.cn
E-mail: yixiangshuang@Vilike.com.cn/info@Vilike.com.cn



Vilike Machine

欧版双面上下电脑提花机

DOUBLE COMPUTER JACQUARD ON CYLINDER AND DAIL MACHINE(EURO)



产品介绍 (PRODUCTS INTRODUCTION) :


- 1、欧版航空级铝合金编织机头设计;
European knitting head design which material by aircraft aluminum alloy.
- 2、针筒三工位电脑提花;
3way computer jacquard on cylinder.
- 3、针盘二工位电脑提花;
2way computer jacquard on dail.
- 4、自主开发的智能CNC控制系统, 进入全伺服控制及智能领域;
Machine equipped smart CNC control system which designed by ourself.
Bring machine entry domain of servo motor control and intelligence.
- 5、配备伺服驱动的智能电动卷布机;
Machine equipped smart take down which be driven by servo motor.
- 6、机器电路均按照欧洲CE标准认证施工;
Electrical kits of machine all according CE certification of Europe.



欧版双面电脑提花机

DOUBLE COMPUTER JACQUARD MACHINE (EURO)

欧版
Europe Version



欧洲款快抽式陶瓷包纱管
FIXING CERAMIC INLAY
OF QUICKLY-INSERT
EUROPEAN SYSTEM

针筒三功位电脑提花
3WAY COMPUTER
JACQUARD ON CYLINDER



欧版双面电脑提花机

DOUBLE COMPUTER JACQUARD MACHINE (EURO)



快速转换三角
Drop Cam System
Cam Exchange In Quickly

针对床垫设计的三角
PROFESSIONAL
CAM DESIGN FOR
MATTRESS

产品介绍 (PRODUCTS INTRODUCTION) :

- 1、经典欧版航空级铝合金编织机头设计，每路起针、压针均可调节；
Classical design of Europe knitting head which material by aircraft aluminum alloy. Regulation stitch control on rising and down cam on each feeder.
- 2、针筒三功位电脑提花；
3way computer jacquard on cylinder.
- 3、机器配置陶瓷纱嘴于整体喂纱圈；
Machine equipped ceramic yarn guide on whole yarn guide ring of machine.
- 4、机器配备欧洲款快抽式陶瓷包纱管；
Machine equipped ceramic inlay of quickly-insert european system;
- 5、上盘切块采用特别“快速转换三角”设计，不用拆机的前提下，方便快速改变三角设置，提高效率！
The dail Cambox has “Drop cam” quickly change system, don't need to replace all Dail Cambox out to setup cams if customer want to change the structure of fabric It can Save more time and quickly setup on dail cam.
- 6、专业设计用于床垫织造；
Professional designed for knitting mattress;
- 7、机器电路按照欧洲CE标准认证施工；
Electrical kits of machine all according CE certification of Europe.


型号 (MODEL)	筒径 (DIAMETER)	针数 (GAUGE)	路数 (FEEDER)	适应原料 (MATERIAL)
DVK-GBCJ1.6E	26Inch-40Inch	9G-32G	42F-64F	棉、涤纶、尼龙、羊毛、TC、晴纶、莫代尔、粘胶等纤维。 (Cotton, Polyester, Nylon, Wool, TC, Acrylic, Modal, Rayon, Etc.)
DVK-GBCJ2.0E	26Inch-40Inch	18G-32G	42F-64F	
DVK-GBCJ2.2E	26Inch-40Inch	18G-32G	52F-80F	
DVK-GBCJ2.5E	26Inch-40Inch	18G-32G	64F-100F	

泉州威力克机械工贸有限公司
QUANZHOU VILIKE MACHINERY INDUSTRY & TRADE CO., LTD.



ADD: NO. 262 LuoBin North Road Industry Park HeShi Town
LuoJiang District Quanzhou City Fujian Province China.
TEL: 0595-22856325
FAX: 0595-22858325
MOBILE: +86 13959922923/18359856951
http: // www.Vilike.com.cn
E-mail: yixianghuang@Vilike.com.cn/info@Vilike.com.cn

欧版
Europe Version



产品介绍 (PRODUCTS INTRODUCTION) :

- 1、欧航空级铝合金编织机头设计;
Europe knitting head design which material by aircraft aluminum alloy.
- 2、针筒三位电脑提花(提花位)及电脑两位电脑移圈控制;
3way computer jacquard on cylinder (jacquard position) and 2way computer jacquard on transfer position.
- 3、钢片式开舌针器组件, 钢针式开舌器组件, 可自由选择;
Latch open unit be designed on steel sheet and steel pin finger, free selection by customer .
- 4、可配备多种三角, 针筒哈弗针用于其它组织的变换, 可做到一机多用;
Machine can equip exchange cams ,Cylinder and half needles. They are use for different fabric struction changing. One machine,Three knitting head.
- 5、机器电路均按照欧洲CE标准认证施工;
Electrical kits of machine all according CE certification of Europe.

型号 (MODEL)	筒径 (DIAMETER)	针数 (GAUGE)	路数 (FEEDER)	适应原料 (MATERIAL)
DVK-GBTCJ1.2E	14Inch-40Inch	12G-24G	16F-48F	棉、涤纶、尼龙、羊毛、TC、晴纶、莫代尔、粘胶等纤维。 (Cotton, Polyester, Nylon, Wool, TC, Acrylic, Modal, Rayon, Etc.)
DVK-GBTCJ1.6E	14Inch-40Inch	14G-24G	22F-64F	
DVK-GBTCJ2.1E	14Inch-40Inch	14G-24G	64F-84F	

泉州威力克机械工贸有限公司
QUANZHOU VILIKE MACHINERY INDUSTRY & TRADE CO., LTD.



ADD: NO.262 LuoBin North Road Industry Park HeShi Town
LuoJiang District Quanzhou City Fujian Province China.
TEL: 0595-22856325
FAX: 0595-22858325
MOBILE: +86 13959922923/18359856951
http: // www.Vilike.com.cn
E-mail: yixianghuang@Vilike.com.cn/info@Vilike.com.cn




Vilike Machine

欧版上下电脑提花+下移圈机

DOUBLE JERSERY COMPUTER JACQUARD WITH CYLINDER
TRANSFER MACHINE (EURO)

欧版
Europe Version



钢针式开舌器
LATCH OPEN UNIT
Steel Pin Hook Type

上盘二工位提花
2WAY COMPUTER DAIL
JACQUARD

下盘提花位三工位电脑提花
下盘移圈位两工位电脑移圈
3WAY COMPUTER
JACQUARD ON CYLINDER
JACQUARD FEEDER
2WAY COMPUTER JACQUARD
ON TRANSFER FEEDER


全智能伺服卷布机
SMART TAKE DOWN DRIVEN
BY SERVO MOTRO



Vilike Machine

欧版上下电脑提花+下移圈机

DOUBLE JERSERY COMPUTER JACQUARD WITH CYLINDER
TRANSFER MACHINE (EURO)



产品介绍 (PRODUCTS INTRODUCTION) :

- 1、独特的欧版翻式纱嘴设计，便于上盘切块的操作；
Special upturn yarn guide system of European,easy operation on dail cambox exchange.
- 2、经典欧版航空及铝合金编织机头设计；
Classical European design on knitting head which material by aircraft aluminum aolly.
- 3、机器整体喂纱圈设计易安装陶瓷纱嘴；
Ceramic yarn guides are installed on whole yarn guide ring of machine.
- 4、一路一个调节刻度器于上下鞍座，平针固定于上下鞍座，不可调；
One regulation stitch control for each feeder on cylinder and dail cambox. Miss can be located on cylinder and dail cambox,no moveable.
- 5、上盘两工位电脑提花，下盘提花位电脑三工位提花，移圈位电脑两工位移圈；
2Way Computer Jacquard on Dail, 3way computer Jacquard on Jacquard Feeder Of Cylinder; 2way Computer transfer on Transfer Feeder of Cylinder.
- 6、全伺服驱动电动卷布机，具有恒定张力及可变张力模式切换功能；恒定张力模式可以保持卷布机张力恒定，可变张力模式具有4段变化张力自动进行固定循环。
Smart Take Down which Driven by Sevro Motor, It has Constant and Variable Motion; Constant motion can keep the tention of take down always same, Varibale motio has 4 steps tenstion can change Automatic in turn by setting.
- 7、机器电路按照欧洲CE标准认证施工；
Electrical kits of machine all according CE certification of Europe.

型号 (MODEL)	筒径 (DIAMETER)	针数 (GAUGE)	路数 (FEEDER)	适应原料 (MATERIAL)
DVK-GBDCJT1.2	28Inch-40Inch	7G-14G	32F-48F	棉、涤纶、尼龙、羊毛、TC、晴纶、莫代尔、粘胶等纤维。 (Cotton, Polyester, Nylon, Wool, TC, Acrylic, Modal, Rayon, Etc.)
DVK-GBDCJT1.6	28Inch-40Inch	14G-20G	42F-64F	
DVK-GBDCJT2.0	28Inch-40Inch	16G-20G	56F-80F	

泉州威力克机械工贸有限公司
QUANZHOU VILIKE MACHINERY INDUSTRY & TRADE CO.,LTD.




ADD: NO. 262 LuoBin North Road Industry Park HeShi Town
LuoJiang District Quanzhou City Fujian Province China.
TEL: 0595-22856325
FAX: 0595-22858325
MOBILE: +86 13959922923/18359856951
http: // www.Vilike. com. cn
E-mail: yixianghuang@Vilike. com. cn/info@Vilike. com. cn



亚欧版双面电脑提花开幅机

Vilike Machine DOUBLE COMPUTER JACQUARD R OPEN WIDTH MACHINE (ASIA+EURO)

亚欧版
ASIA Europe Version



高强度钢结构开幅机架
可踩踏板安全护栏让操作更加轻松
Open Width Machine Frame Made
By High-Strength Steel Structure
The Step-Pad Safety Door Makes
Operation More Safety And Easier

针筒三位电脑提花
3WAY COMPUTER
JACQUARD ON CYLINDER

双伺服电机驱动开幅式卷布机
Open Width Take Down System
Which Driven By Double
Servo Motors

型号 (MODEL)	筒径 (DIAMETER)	针数 (GAUGE)	路数 (FEEDER)	适应原料 (MATERIAL)
DVK-GBOPCJ1.6ES	14Inch-40Inch	7G-28G	16F-48F	棉、涤纶、尼龙、羊毛、TC、晴纶、莫代尔、粘胶等纤维。 (Cotton, Polyester, Nylon, Wool, TC, Acrylic, Modal, Rayon, Etc.)
DVK-GBOPCJ2.0ES	14Inch-40Inch	7G-28G	22F-64F	
DVK-GBOPCJ2.2ES	14Inch-40Inch	7G-28G	64F-84F	

泉州威力克机械工贸有限公司
QUANZHOU VILIKE MACHINERY INDUSTRY & TRADE CO., LTD.




ADD: NO.262 LuoBin North Road Industry Park HeShi Town
LuoJiang District Quanzhou City Fujian Province China.
TEL: 0595-22856325
FAX: 0595-22858325
MOBILE: 13959922923 18359856951
http: // www.Vilike.com.cn
E-mail: yixianghuang@Vilike.com.cn/info@Vilike.com.cn



欧版双面电脑提花开幅机

Vilike Machine DOUBLE COMPUTER JACQUARD R OPEN WIDTH MACHINE (ASIA+EURO)



快速转换三角
Drop Cam System
Cam Exchange In Quickly

针对床垫设计的三角
PROFESSIONAL
CAM DESIGN FOR
MATTRESS

产品介绍 (PRODUCTS INTRODUCTION) :


- 1、经典欧版航空级铝合金编织机头设计，每路起针、压针均可调节；
Classical design of Europe knitting head which material by aircraft aluminum alloy. Regulation stitch control on rising and down cam on each feeder.
- 2、针筒三位电脑提花；
3way computer jacquard on cylinder.
- 3、机器配置陶瓷纱嘴于整体喂纱圈；
Machine equipped ceramic yarn guide on whole yarn guide ring of machine.
- 4、机器配备欧洲款快抽式陶瓷包纱管；
Machine equipped ceramic inlay of quickly-insert europen system;
- 5、上盘切块采用特别“快速转换三角”设计，不用拆机的前提下，方便快速改变三角设置，提高效率！
The dail Cambox has “Drop cam” quickly change system, don't need to replace all Dail Cambox out to setup cams if customer want to change the structure of fabric It can Save more time and quickly setup on dail cam.
- 6、专业设计用于床垫织造；
Professional designed for knitting mattress;
- 8、加强型的钢板开幅机架和传动及开幅机，保证机器高速、稳定运作；
Machine stable running under high speed by strongest open width machine frame and take down system.
- 8、加强式双轴传动系统，保证同步精度；
Double driven shafts system high procession between cylinder and dail gears
- 9、机器电路按照欧洲CE标准认证施工；
Electrical kits of machine all according CE certification of Europe.



亚欧版双面电脑提花移圈开幅机

Vilike Machine DOUBLE COMPUTER JACQUARD & RIB LOOP TRANSFER OPEN WIDTH MACHINE (ASIA+EURO)

欧版
ASIA Europe Version



型号 (MODEL)	筒径 (DIAMETER)	针数 (GAUGE)	路数 (FEEDER)	适应原料 (MATERIAL)
DVK-GBOPTCJ1.2ES	14Inch-40Inch	7G-28G	16F-48F	棉、涤纶、尼龙、羊毛、TC、晴纶、莫代尔、粘胶等纤维。 (Cotton, Polyester, Nylon, Wool, TC, Acrylic, Modal, Rayon, Etc.)
DVK-GBOPTCJ1.6ES	14Inch-40Inch	7G-28G	22F-64F	
DVK-GBOPTCJ2.1ES	14Inch-40Inch	7G-28G	64F-84F	

泉州威力克机械工贸有限公司
QUANZHOU VILIKE MACHINERY INDUSTRY & TRADE CO., LTD.




ADD: NO. 262 LuoBin North Road Industry Park HeShi Town
LuoJiang District Quanzhou City Fujian Province China.
TEL: 0595-22856325
FAX: 0595-22858325
MOBILE: +86 13959922923/18359856951
http: // www.Vilike.com.cn
E-mail: yixianghuang@Vilike.com.cn/info@Vilike.com.cn



欧版双面电脑提花移圈开幅机

Vilike Machine DOUBLE COMPUTER JACQUARD & RIB LOOP TRANSFER OPEN WIDTH MACHINE (ASIA+EURO)



产品介绍 (PRODUCTS INTRODUCTION) :

- 1、欧航空级铝合金编织机头设计;
Europe knitting head design which material by aircraft aluminum alloy.
- 2、针筒三工位电脑提花(提花位)及电脑两工位电脑移圈控制;
3way computer jacquard on cylinder (jacquard position) and 2way computer jacquard on transfer position.
- 3、钢片式开舌针器组件, 钢针式开舌器组件, 可自由选择;
Latch open unit be designed on steel sheet and steel pin finger, free selection by customer .
- 4、可配备多种三角, 针筒哈弗针用于其它组织的变换, 可做到一机多用;
Machine can equip exchange cams ,Cylinder and half needles. They are use for different fabric struction changing. One machine,Three knitting head.
- 6、加强型的钢板开幅机架和传动及开幅机, 保证机器高速、稳定运作;
Machine stabile running under high speed by strongest open width machine frame and take down system.
- 7、加强式双轴传动系统, 保证同步精度;
Double driven shafts system high procession between cylinder and dail gears




Vilike Machine

欧版对筒提花机

LINKS COMPUTER FACQUARD MACHINE (EURO)

欧版
Europe Version



三工位电脑对筒提花
3WAY COMPUTER
LINKS JACQUARD

上盘配德国FRANKE钢珠跑道
FRANKE WIRE BEARING
OF GERMANY ON UPING

三轴式加强式传动系统
3 SHAFTS STRONGLY
TRANSMISSION SYSTEM


下盘配德国FRANKE钢珠跑道
FRANK WIRE BEARING
OF GERMANY ON BOTTOM



Vilike Machine

欧版对筒提花机

LINKS COMPUTER FACQUARD MACHINE (EURO)



产品介绍 (PRODUCTS INTRODUCTION) :

1、加强式铸件机架,上下盘配备德国Franke钢珠跑道,三轴式加强传动系统用于上下针筒的同步;

Strongly Casting Machien Frame for Links Jacquard Machine,Upper and Bottom Bed Ring Installed Franke Wire Bearing of Germany, Three Shafts Strongly Transmission System to Control Rotating consistency on upper and bottom Cylinder .

2、经典欧版铸件对筒机编织机头设计;

Classical European Design on Knitting Head Of Links Jacquard Machine Which Material By Casting.

3、机器配备独立安装的对筒式钢式纱嘴设计有三孔用于填纱;

Matel Yarn Guides Of Links Jacquard be Installed on Upper Cambox Of Machine Independently; Three Holes Design Of Yarn Guide for Plant Cover on Knitting.

4、一路一个调节刻度器于上下鞍座,平针固定于上下鞍座,不可调;

One regulation stitch control for each feeder on cylinder and dail cambox.Miss cam be located on cylinder and dail cambox,No moveable.

5、下盘配备三工位电脑提花,下盘全针、集圈及上盘全针;

Machine equiped Computer 3way Jacquard, Full Knit on Bottom Cylinder, Tuck on Bottom Cylinder,and Full Knit on Upper Cylinder.

6、机器电路按照欧洲CE标准认证施工;

Electrical kits of machine all according CE certification of Europe.

型号 (MODEL)	筒径 (DIAMETER)	针数 (GAUGE)	路数 (FEEDER)	适应原料 (MATERIAL)
DVK-KRLK0.8	30Inch-38Inch	7G-20G	18F、24F、32F	棉、涤纶、尼龙、羊毛、TC、晴纶、莫代尔、粘胶等纤维。 (Cotton, Polyester, Nylon, Wool, TC, Acrylic, Modal, Rayon, Etc.)

泉州威力克机械工贸有限公司
QUANZHOU VILIKE MACHINERY INDUSTRY & TRADE CO.,LTD.



ADD: NO.262 LuoBin North Road Industry Park HeShi Town
LuoJiang District Quanzhou City Fujian Province China.
TEL: 0595-22856325
FAX: 0595-22858325
MOBILE: +86 13959922923/18359856951
http: // www.Vilike.com.cn
E-mail: yixianghuang@Vilike.com.cn/info@Vilike.com.cn



欧版双面上下电脑提花+上下移圈四色调线全自动机
DOUBLE COMPUTER BOTH SIDE JACQUARD BOTH
SIDE TRANSFER & 4-COLOUR STRIPER MACHINE(EURO)

全新系统界面 (ALL NEW CONTROL SYSTEM)



控制面板 (CONTROL PANEL)



主操作界面
(MAIN SCREEN OF OPERATION)



主菜单
(MAIN MANUAL)



电机设置界面
(SETTING SCREEN OF MOTOR)




调线器设置界面
(SETTING SCREEN OF STRIPER)



欧版双面上下电脑提花+上下移圈四色调线全自动机
DOUBLE COMPUTER BOTH SIDE JACQUARD BOTH
SIDE TRANSFER & 4-COLOUR STRIPER MACHINE(EURO)

欧版
Europe Version



型号 (MODEL)	筒径 (DIAMETER)	针数 (GAUGE)	路数 (FEEDER)	适应原料 (MATERIAL)
DVK-SPDCJ4S1.2	26Inch-40Inch	10G-18G	24F-48F	棉、涤纶、尼龙、羊毛、TC、晴纶、莫代尔、粘胶等纤维。 (Cotton, Polyester, Nylon, Wool, TC, Acrylic, Modal, Rayon, Etc.)


泉州威力克机械工贸有限公司
QUANZHOU VILIKE MACHINERY INDUSTRY & TRADE CO., LTD.




ADD: NO. 262 LuoBin North Road Industry Park HeShi Town
LuoJiang District Quanzhou City Fujian Province China.
TEL: 0595-22856325
FAX: 0595-22858325
MOBILE: 13959922923 18359856951
http: // www.Vilike.com.cn
E-mail: yixianghuang@vilike.com.cn/info@vilike.com.cn



欧版双面上下电脑提花+上下移圈四色调线全自动机
DOUBLE COMPUTER BOTH SIDE JACQUARD BOTH
SIDE TRANSFER & 4-COLOUR STRIPER MACHINE(EURO)



日本立式变色头
VERTICAL STRIPER
BOX OF JAPAN




上下盘带自动密度电机
AUTO MATIC STITCH
CONTROL BY SERVO MOTOR



上下盘开舌器
LATCH OPEN UNIT OF
DAIL AND CYLINDER



欧版双面上下电脑提花+上下移圈四色调线全自动机
DOUBLE COMPUTER BOTH SIDE JACQUARD BOTH
SIDE TRANSFER & 4-COLOUR STRIPER MACHINE(EURO)



产品介绍 (PRODUCTS INTRODUCTION) :

- 1、欧版航空级铝合金编织机头设计;
European knitting head design which material by aircraft aluminum alloy.
- 2、针筒三工位电脑提花, 二工位电脑移圈;
3way computer jacquard on cylinder, 2 way computer transfer.
- 3、针盘二工位电脑提花, 二工位电脑移圈;
2way computer jacquard on dail, 2 way computer transfer.
- 4、日本立式变色头精确控制间色换线的动作, 可靠性高;
Vertical striper box of Japan control colour yarn changing in high precision, perfect stability.
- 5、上下盘自动密度电机控制压针;
Automatic stitch control by servo motor on cylinder and dail.
- 6、全伺服恒定/可变张力卷布机控制;
Electrical take down driven by servo motor constant/variable tension.
- 7、上下盘开针器实现移圈功能;
Latch open unit to make transfer on cylinder and dail.
- 8、机器电路均按照欧洲CE标准认证施工;
Electrical kits of machine all according CE certification of Europe.



产品介绍 (PRODUCTS INTRODUCTION) :

- 1、独特的欧版翻式纱嘴设计，便于上盘切块的操作；
Special upturn yarn guide system of European, easy operation on dail cambox exchange.
- 2、经典欧版航空及铝合金编织机头设计；
Classical European design on knitting head which material by aircraft aluminum aolly.
- 3、可调式的鞍座底圈设计；
Adjustable cambox ring design on kintting head.
- 4、一路一个调节刻度器于上下鞍座，平针固定于上下鞍座，不可调；
One regulation stitch control for each feeder on cylinder and dail cambox. Miss cam be located on cylinder and dail cambox, no moveable.
- 5、机器电路按照欧洲CE标准认证施工；
Electrical kits of machine all according CE certification of Europe.

型号 (MODEL)	筒径 (DIAMETER)	针数 (GAUGE)	路数 (FEEDER)	适应原料 (MATERIAL)
DVK-GBR1.6	12Inch-24Inch	9G-30G	20F-38F	棉、涤纶、尼龙、羊毛、TC、晴纶、莫代尔、粘胶等纤维。 (Cotton, Polyester, Nylon, Wool, TC, Acrylic, Modal, Rayon, Etc.)
DVK-GBR2.0	12Inch-24Inch	12G-32G	24F-48F	





欧版单面小圆机

SINGLE JERSERY BODY SIZE MACHINE(EURO)

欧版
Europe Version



型号 (MODEL)	筒径 (DIAMETER)	针数 (GAUGE)	路数 (FEEDER)	适应原料 (MATERIAL)
SVK-GB2.4	10Inch-24Inch	10G-32G	24F-58F	棉、涤纶、尼龙、羊毛、TC、晴纶、莫代尔、粘胶等纤维。 (Cotton, Polyester, Nylon, Wool, TC, Acrylic, Modal, Rayon, Etc.)
SVK-GB3.0	10Inch-24Inch	10G-32G	30F-72F	
SVK-GB3.2	10Inch-24Inch	10G-32G	32F-76F	

泉州威力克机械工贸有限公司
QUANZHOU VILIKE MACHINERY INDUSTRY & TRADE CO., LTD.




ADD: NO.262 LuoBin North Road Industry Park HeShi Town
LuoJiang District Quanzhou City Fujian Province China.
TEL: 0595-22856325
FAX: 0595-22858325
MOBILE: +86 13959922923/18359856951
<http://www.Vilike.com.cn>
E-mail: yixianghuang@Vilike.com.cn/info@Vilike.com.cn



欧版单面小圆机

SINGLE JERSERY BODY SIZE MACHINE(EURO)



产品介绍 (PRODUCTS INTRODUCTION) :

- 1、经典欧版航空级铝合金编织机头设计;
Classical Europe design on kintting head which material by aircraft aluminum aolly.
- 2、机器整体喂纱圈设计并安装陶瓷纱嘴;
Ceramic yarn guides are installed on whole yarn guide ring of machine.
- 3、可调式的鞍座底圈设计;
Adjustable cambox ring design on kintting head.
- 4、机器电路均按照欧洲CE标准认证施工;
Electrical kits of machine all according CE certification of Europe.



亚洲版单面迷你小圆机


SINGLE JERSERY MINI MACHINE (ASIA)



亚洲版单面迷你小圆机

SINGLE JERSERY MINI MACHINE (ASIA)

亚洲版
ASIA Version



产品介绍 (PRODUCTS INTRODUCTION) :

- 1、经典亚洲版航空级铝合金编织机头设计;
Classical ASIA design on kintting head which material by aircraft aluminum aolly.
- 2、机器整体喂纱圈设计并安装陶瓷纱嘴;
Ceramic yarn guides are installed on whole yarn guide ring of machine.
- 3、可调式的鞍座底圈设计;
Adjustable cambox ring design on kintting head.
- 4、机器电路均按照欧洲CE标准认证施工;
Electrical kits of machine all according CE certification of Europe.


型号 (MODEL)	筒径 (DIAMETER)	针数 (GAUGE)	路数 (FEEDER)	适应原料 (MATERIAL)
SVK-GD2.4	5Inch-10Inch	10G-30G	12F-24F	棉、涤纶、尼龙、羊毛、TC、晴纶、莫代尔、粘胶等纤维。 (Cotton, Polyester, Nylon, Wool, TC, Acrylic, Modal, Rayon, Etc.)
SVK-GD3.0	5Inch-10Inch	10G-30G	15F-30F	

泉州威力克机械工贸有限公司
QUANZHOU VILIKE MACHINERY INDUSTRY & TRADE CO., LTD.



ADD: NO.262 LuoBin North Road Industry Park HeShi Town
LuoJiang District Quanzhou City Fujian Province China.
TEL: 0595-22856325
FAX: 0595-22858325
MOBILE: +86 13959922923/18359856951
http: // www.Vilike.com.cn
E-mail: yixianghuang@Vilike.com.cn/info@Vilike.com.cn

亚洲版
ASIA Version



产品介绍 (PRODUCTS INTRODUCTION) :

1、经典亚洲版航空级铝合金编织机头设计;

Classical ASIA design on kintting head which material by aircraft aluminum aolly.

2、机器配备陶瓷纱嘴, 单独调整设计;

Machine full equiped ceramic yarn guide, Yarn Guides can be adjusted independently on each feeder.

3、可调式的鞍座底圈设计;

Adjustable cambox ring design on kintting head.

4、机器电路均按照欧洲CE标准认证施工;

Electrical kits of machine all according CE certification of Europe.

型号 (MODEL)	筒径 (DIAMETER)	针数 (GAUGE)	路数 (FEEDER)	适应原料 (MATERIAL)
DVK-GD1.6	5Inch-10Inch	10G-28G	8F-16F	棉、涤纶、尼龙、羊毛、TC、晴纶、莫代尔、粘胶等纤维。 (Cotton, Polyester, Nylon, Wool, TC, Acrylic, Modal, Rayon, Etc.)
DVK-GD2.0	5Inch-10Inch	10G-28G	10F-20F	

泉州威力克机械工贸有限公司
QUANZHOU VILIKE MACHINERY INDUSTRY & TRADE CO., LTD.



ADD: NO.262 LuoBin North Road Industry Park HeShi Town
LuoJiang District Quanzhou City Fujian Province China.
TEL: 0595-22856325
FAX: 0595-22858325
MOBILE: +86 13959922923/18359856951
http: // www.Vilike.com.cn
E-mail: yixianghuang@Vilike.com.cn/info@Vilike.com.cn